

# Foreverboard California, Inc.

1351 E. Ash Ave., Shafter, CA 93263  
(661) 746-7953

## Materials Safety Data Sheet – 16 Sections

### Section 1 – Chemical Property and Company Identification

Product <b>Drywall</b>		MsdS #fb-001
Product Use <b>Wall Board, Ceiling Board, Drop Ceiling</b>		
Manufacture <b>Foreverboard, LLC</b>		
City <b>Buffalo</b>	State <b>NY</b>	
Postal Code <b>14210</b>	Telephone <b>716-235-8441</b>	

### Section 2 – Composition/Information On Ingredients

Ingredients (specific)	CAS Number	Hazard Class
<b>Magnesium Oxide</b>	<b>1309-48-4</b>	<b>None</b>
<b>Magnesium Chloride</b>	<b>7786-30-3</b>	<b>None</b>
<b>Perlite</b>	<b>93763-70-3</b>	<b>None</b>
<b>Fiberglass Veil</b>	<b>65997-17-3</b>	<b>None</b>
<b>Proprietary Additives</b>	<b>N/A</b>	<b>None</b>

### Section 3 – Hazards Identification

(Emergency Overview) <b>Non Toxic, Non Explosive and is not a fire hazard</b>
(WHMIS Symbols)
Potential Health Effects

### Section 4 – First Aid Measures

Skin Contact Dust may cause irritation of the skin from friction but cannot be absorbed through intact skin.
Eye Contact Dust may irritate the eyes from mechanical abrasion causing watering and redness.
Inhalation Dust may cause irritation of the nose, throat, and airways, resulting in coughing and sneezing. Certain susceptible individuals may experience wheezing (spasms of the bronchial airways) on inhaling dust during sanding or sawing operations.
Ingestion Unlikely under normal conditions of use, but swallowing the dust from this product may result in irritation to the mouth and gastrointestinal tract.

### Section 9 – Physical and Chemical Properties

Physical State <b>Solid Boards</b>	Odor and Appearance <b>Low to No odor</b>	
Specific Gravity <b>Not Applicable</b>	Vapor Density(air=1) <b>Not Applicable</b>	Vapor Pressure (mmHg) <b>Not Applicable</b>
Evaporation Rate <b>Not Applicable</b>	Boiling Point <b>Not Applicable</b>	Freezing Point <b>Not Applicable</b>
pH <b>7</b>	Coefficient of water/oil Distribution <b>Not Applicable</b>	(Solubility in water) <b>Not Applicable</b>

### Section 10 – Stability and Reactivity

Chemical Stability <b>Yes</b>	
Incompatibility with other substances <b>Yes</b>	If Yes, Which ones? <b>Hydrofluoric acid which dissolves magnesium oxide and can generate magnesium chloride fumes</b>
Reactivity, and under what conditions?	
Hazardous Decomposition Products	

### Section 11 – Toxicological Information

Effects of Acute Exposure <b>Foreverboard is non-toxic</b>
Effects of Chronic Exposure Although Foreverboard is non-toxic chronic exposure to dust may cause bronchitis or irritation to the throat. To avoid irritation take all necessary precautions to avoid a large amount of dust

### Section 12 – Ecological Information

(Aquatic Toxicity) Magnesium Oxide is a naturally occurring mineral; releases that may occur into the environment are not expected to leave any hazardous material that could cause a significant adverse impact.

# Foreverboard California, Inc.

1351 E. Ash Ave., Shafter, CA 93263  
(661) 746-7953

## Materials Safety Data Sheet – 16 Sections

### Section 5 – Fire Fighting Measures

Flammable <b>No</b>
Means of Extinction This material is non-combustible. Appropriate extinguishing media should be used for surrounding fire.
Flash point and Method <b>Not Applicable</b>
Auto Ignition Temperature <b>Not Applicable</b>
Hazardous Combustion Products Foreverboard Products are non-flammable, non-explosive and non-combustible. Fire fighting personnel should wear normal protective equipment.

### Section 6 – Accidental Release Measures

Leak and Spill Procedures
Remove boards from spillage if not damaged or contaminated by foreign material, let dry and boards may be reclaimed.

### Section 7 – Handling and Storage

Handling Procedures and Equipment Products in their intact state do not present a health hazard.
Storage Requirements Store in a dry room temperature area. Do not over stack board. Take Cautionary actions to keep the Board face clean. Use proper lifting techniques.

### Section 8 – Exposure Control/Personal Protection

Specific Engineering Controls (such as ventilation, enclosed process) <b>Keep working area well ventilated</b>
Personal Protective Equipment Recommended to wear gloves, face mask, closed toe shoes and eye protection. Wear long loose clothing in case of irritation to skin.

### Section 13 – Disposal Considerations

Waste Disposal Dispose of material in conformance with federal, provincial, state and local regulations.		
Section 14 – Transport Information		
Special Shipping Information US Dot Information: Not a hazardous material per dot shipping requirements. Not Classified or regulated.		

### Section 15 –Regulatory Information

(WHMIS Classification) Dot hazard classification	none
Placard requirement	none

### Section 16 – Other Information

When cutting and sanding Foreverboard, always wear eye, skin and respiratory protection as needed. If eye contact occurs, flush with water for 15 minutes. When cutting Foreverboard with power tools use a wet or vacuum saw. Customer service: 716-235-8441
Prepared by: Foreverboard llc, buffalo one buffalo river place buffalo ny 14210